

HealthRhythms Citations and PubMed Links

Ehlers, C.L., Frank, E. and Kupfer, D.J. Social zeitgebers and biological rhythms: A unified approach to understanding the etiology of depression. Archives of General Psychiatry, **45**: 948-952, 1988.

<https://pubmed.ncbi.nlm.nih.gov/3048226/>

Ehlers, C.L., Kupfer, D.J., Frank, E., and Monk, T.H. Biological rhythms and depression: The role of zeitgebers and zeitstörers. Depression, **1**:285-293, 1993.

<https://onlinelibrary.wiley.com/doi/abs/10.1002/depr.3050010602>

Monk, T.H., Flaherty, J.F., Frank, E., Hoskinson, K., and Kupfer, D.J. The Social Rhythm Metric (SRM): An instrument to quantify the daily rhythms of life. Journal of Nervous and Mental Disease, **178**:120-126, 1990.

<https://pubmed.ncbi.nlm.nih.gov/2299336/>

Frank, E., Kupfer, D.J., Ehlers, C.L., Monk, T.H., Cornes, C., Carter, S., and Frankel, D. Interpersonal and Social Rhythm Therapy for Bipolar Disorder: Integrating Interpersonal and Behavioral Approaches. Behavior Therapist, **17**:143-149,1994.

https://scholar.google.com/scholar?hl=en&as_sdt=0%2C45&q=interpersonal+and+Social+Rhythm+Therapy+for+Bipolar+Disorder%3A+Integrating+Interpersonal+and+Behavioral+Approaches+from+199&btnG=

Malkoff-Schwartz, S., Frank, E., Anderson, B., Sherrill, J.T., Siegel, L., Patterson, D., and Kupfer, D.J. Stressful life events and social rhythm disruption in the onset of manic and depressive bipolar episodes: A Preliminary Investigation. Archives of General Psychiatry, **55**(8): 702-707, 1998.

<https://pubmed.ncbi.nlm.nih.gov/9707380/>

Malkoff-Schwartz, S., Frank, E., Anderson, B.P., Hlastala, S.A., Luther, J.F., Sherrill, J.T., Houck, P.R. and Kupfer, D.J. Social rhythm disruption and stressful life events in the onset of bipolar and unipolar episodes. Psychological Medicine, **30**:1005-1016, 2000.

<https://pubmed.ncbi.nlm.nih.gov/12027038/>

Frank, E., Kupfer, D.J., Thase, M.E., Mallinger, A.G., Swartz, H., Fagiolini, A.M., Grochocinski, V., Houck, P., Scott, J., Thompson, W. and Monk, T. Two year outcomes for interpersonal and social rhythm therapy in individuals with bipolar I disorder. Archives of General Psychiatry, **62**:996-1004, 2005.

<https://pubmed.ncbi.nlm.nih.gov/16143731/>

Frank, E., Soreca, I., Swartz, H.A., Fagiolini, A.M., Mallinger, A.G., Thase, M.E., Grochocinski, V.J., Houck, P.R. and Kupfer, D.J. Interpersonal and social rhythm therapy improves occupational functioning in patients with bipolar I disorder. American Journal of Psychiatry, **165**:1559-1565, 2008

<https://pubmed.ncbi.nlm.nih.gov/18829872/>

Swartz, H.A., Frank, E., O'Toole, K., Newman, N., Kiderman, H., Carlson, S., Fink, J.W., Cheng, Y., Maihoefer, C., Wells, K.F., Houck, P.R., Painter, T., Ortenzio, S.H., Simon, S.L., Henschke, P. and Ghinassi, F. Implementing interpersonal and social rhythm therapy for mood disorders across a continuum of care. Psychiatric Services, **62**:1377-1380, 2011

<https://pubmed.ncbi.nlm.nih.gov/22211221/>

Corruble, E., Frank, E., Gressier, F., Courtet, P., Bayle, F., Llorca, P.M., Vaiva, G. and Gorwood, P. Morningness-eveningness and treatment response in major depressive disorder. Chronobiology International, 31: 283-9, 2014

<https://pubmed.ncbi.nlm.nih.gov/24128195/>

Abdullah, S., Matthews, M., Murnane, E. L. Gay, G. and Choudury, T. Towards circadian computing: “Early to Bed and Early to Rise” makes some of us unhealthy and sleep deprived. Ubicomp ’14, September 13-17, Seattle, WA, USA.

<https://dl.acm.org/doi/abs/10.1145/2632048.2632100>

Frank, E., Benabou, M., Bentzley, B., Bianchi, M., Goldstein, T., Konopka, G., Maywood, L., Pritchett, D., Sheaves, B. and Thomas, J. What makes a good homeostat? Influencing circadian and sleep-wake regulation for prevention and intervention in mood and anxiety disorders. *Ann N Y Acad Sci.* 2014 Dec; 1334: 1–25.

<https://pubmed.ncbi.nlm.nih.gov/25532787/>

Abdullah, S., Matthews, M., Frank, E., Doherty, G., Gay, G. and Choudury, T. Automatic detection of social rhythms in bipolar disorder. Journal of the American Medical Informatics Association, 2016.

<https://pubmed.ncbi.nlm.nih.gov/26977102/>

Matthews, M., Abdullah, S., Murnane, E.L., Volda, S., Choudhury, T. and Frank, E. Development and evaluation of a smartphone-based measure of social rhythms for bipolar disorder. Assessment. 2016.

<https://pubmed.ncbi.nlm.nih.gov/27358214/>

Goldstein, T.R., Merranko, J., Krantz, M., Franzen, P., Levenson, J., Axleson, D., Birmaher, B., and Frank E. Early Intervention for Adolescents At-Risk for Bipolar Disorder: A Pilot Randomized Trial of Interpersonal and Social Rhythm Therapy (IPSRT), Journal of Affective Disorders, 235: 348-356. (2018)

<https://pubmed.ncbi.nlm.nih.gov/29665518/>

Frank, E., Wallace, M., Matthews, M.J., Kendrick, J., Leach, J., Moore, T., Aranovich, G., Choudhury, T., Shah, N.R., Framroze, Z., Posey, G., Burgess, S., Kupfer, D.J. Precision digital intervention for depression based on social rhythm principles adds significantly to outpatient treatment. Frontiers in Digital Health, 4 , 2022.

<https://pubmed.ncbi.nlm.nih.gov/36120713/>

Wallace, M. Frank, E, et al. Could psychiatry have its own vital signs? A preliminary proof of concept. Under review.